

T 1 2 N

R 5 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.


If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

the Section lines described

No.	Running trees	Acres	Survey	Notes
1.	Buck	24	S 74 E 7	
2.	do	5	S 30 E 7	
3.	Buck	16	N 30 E 8	
4.	Buck	6	S 61 E 16	
5.	do	12	N 24 E 20	
6.	do	24	N 30 E 25	
7.	do	4	S 35 E 21	
8.	Sugar	13	N 43 E 41	
9.	do	20	S 43 E 7	
10.	Buck	15	S 16 E 17	
11.	do	8	N 63 E 18	
12.	Buck	4	N 29 E 15	
13.	Buck	13	N 36 E 25	
14.	do	14	S 44 E 32	
15.	Buck	10	N 57 E 20	
16.	Buck	8	S 33 E 10	
17.	do	12	S 32 E 12	
18.	Buck	15	N 2 E 31	
19.	do	18	S 30 E 32	
20.	do	36	N 73 E 42	
21.	do	48	S 80 E 12	
22.	Buck	24	S 88 E 10	
23.	Sugar	6	N 58 E 37	
24.	do	15	S 32 E 20	
25.	Buck	10	N 32 E 18	
26.	Buck	15	N 10 E 3	
27.	Buck	4	S 15 E 22	
28.	do	4	S 8 E 11	
29.	Buck	12	N 84 E 14	
30.	Sugar	8	N 31 E 11	
31.	Sugar	10	N 43 E 20	
32.	do	10	N 49 E 16	
33.	Buck	10	S 88 E 26	
34.	Sugar	24	S 38 E 10	
35.	Buck	24	N 51 E 17	
36.	do	20	S 6 E 14	
37.	Buck	14	S 24 E 31	
38.	do	6	S 39 E 37	
39.	do	18	S 80 E 18	
40.	Buck	2	S 35 E 22	
41.	Buck	12	S 16 E 30	
42.	Sugar	20	N 30 E 17	
43.	Buck	24	N 10 E 37	
44.	do	10	S 75 E 10	
45.	do	20	N 46 E 5	
46.	Buck	15	S 68 E 13	
47.	Sugar	18	S 75 E 30	
48.	do	5	N 57 E 22	
49.	do	15	S 54 E 14	
50.	Buck	10	S 27 E 20	
51.	do	12	S 30 E 1	
52.	do	10	S 62 E 5	
53.	do	30	N 19 E 13	
54.	Buck	10	N 15 E 12	
55.	Buck	20	S 72 E 25	
56.	do	24	N 82 E 27	
57.	do	14	S 3 E 20	
58.	Buck	15	N 20 E 27	
59.	Buck	12	N 61 E 19	
60.	Sugar	30	N 80 E 43	
61.	Sugar	20	S 60 E 13	
62.	do	8	S 63 E 30	
63.	Sugar	12	N 71 E 34	
64.	do	8	S 20 E 8	
65.	Buck	14	N 29 E 27	
66.	do	5	S 30 E 42	
67.	Buck	12	N 61 E 4	
68.	do	7	N 84 E 33	
69.	Buck	14	N 27 E 21	
70.	Buck	15	S 30 E 2	
71.	Buck	6	S 5 E 18	
72.	Buck	8	N 24 E 26	
73.	Sugar	12	N 12 E 14	
74.	do	14	S 6 E 43	
75.	Sugar	15	N 50 E 12	
76.	do	20	N 30 E 28	
77.	do	10	N 38 E 5	
78.	do	15	N 55 E 24	

on Indian	Boundary
Sugar	12 S 21 N 9
Buck	10 S 15 E 7
do	12 S 1 E 36
do	18 N 59 E 15
do	12 N 55 W 18
Buck	12 S 61 E 20
do	6 N 26 E 21
do	4 S 28 E 15



Township N. 13 North, Range N. 5 West 2nd Meridian

Surveyed by John McDonald 1886

Description of the Soil on the interior Sectional lines of this town

Section	Quality of Soil	Remarks	Section	Quality of Soil	Remarks
1	Broken land, good Soil	Timber, Buck, Sugar, Ash, etc.	37	Broken land, rich Soil	Timber, Buck, Sugar, Ash, etc.
2	do	do	38	do	do
3	do	do	39	do	do
4	do	do	40	do	do
5	do	do	41	do	do
6	do	do	42	do	do
7	do	do	43	do	do
8	do	do	44	do	do
9	do	do	45	do	do
10	do	do	46	do	do
11	do	do	47	do	do
12	do	do	48	do	do
13	do	do	49	do	do
14	do	do	50	do	do
15	do	do	51	do	do
16	do	do	52	do	do
17	do	do	53	do	do
18	do	do	54	do	do
19	do	do	55	do	do
20	do	do	56	do	do
21	do	do	57	do	do
22	do	do	58	do	do
23	do	do	59	do	do
24	do	do	60	do	do
25	do	do	61	do	do
26	do	do	62	do	do
27	do	do	63	do	do
28	do	do	64	do	do
29	do	do	65	do	do
30	do	do	66	do	do
31	do	do	67	do	do
32	do	do	68	do	do
33	do	do	69	do	do
34	do	do	70	do	do
35	do	do	71	do	do
36	do	do	72	do	do

80
Township 12 North Range 5 West 2^d Sec. Ind.

Sec. 1, South Boundary.

Met On South side of sec. 36 T12R5W
30.00 To a Brook 20 lbs. wide en. South
40.00 Set gr. sec. post from which
a Beech 16 in. dia. bears N85°E 21 lbs. dist,
& a Do. 8 " " " S87°W 19 " "
80.00 Set a post cor. sec. 35 & 36 from which
a Hickory 12 in. dia. bears N20°E 18 lbs. dist,
& a Buckeye 6 " " " S14°W 5 " "
Good Buck land -

Met On the South side of sec. 35
6.00 To a Brook 25 lbs. wide en. South
40.00 Set gr. sec. post from which
a Beech 16 in. dia. bears S27°W 9 lbs. dist,
& a Do. 16 " " " N16°E 31 " "
71.00 To a Brook 5 lbs. wide en. North
80.00 Set a post cor. to sec. 34 & 35 from which
a Beech 16 in. dia. bears S32°E 17 lbs. dist,
& a Do. 18 " " " N32°W 29 " "
Land level & the timber is Buck Oak
Poplar &c. &c.

Met On South side of sec. 34 T12R5W
40.00 Set gr. sec. post from which a
Beech 13 in. dia. bears N77°W 16 lbs. dist,
& a W. Oak 16 in. dia. " S78°E 43 " "
61.00 To a Brook 8 lbs. wide en. N. &
80.00 Set a post cor. sec. 33 & 34 from which
a Beech 16 in. dia. bears N6°W 17 lbs. dist,
& a Do. 18 " " " N6°E 38 " "
Land level & Beech timber &c.

Met On the S. side of sec. 33 T12R5W
6.00 To a Brook 4 lbs. wide en. N.

T. 12 N. R. 5 W. 2nd Mer. Ind.

- 21.00 To a Brook 4 lks. wide en. N.
 40.00 Set a gr. sec. post from which
 a Beech 15 in dia. bears S45E2 lks. dist,
 & a Do. 15 " " " N22W26 " "
 80.00 Set a post cor. to sec. 32 & 33 from which
 a Beech 15 in dia. bears S45E2 lks. dist,
 & a Do. 16 " " " N41W46 " "
 Level Buck land &

- West On South side of sec. 32 T12N R5W,
 40.00 Set gr. sec. post from which a
 Beech 15 in dia. bears N15E2 lks. dist,
 & a Do. 5 " " " S6W12 " "
 80.00 Set a post cor. sec. 31 & 32 from which
 an Elm 9 in dia. bears N17W20 lks. dist,
 & a Hackberry 8 " " " N21E16 " "
 Land same as on last mile,

- West On the South side of sec. 31 T12N R5W
 4.00 To a Creek 200 lks. wide en. South
 16.00 " " Brook 10 " " " S,
 40.00 Set gr. sec. post from which
 a Beech 16 in dia. bears S35E17 lks. dist,
 & a W. Oak 30 " " " N35E17 " "
 43.50 To a Brook 6 lks. wide en. N.E.,
 78.00 Intersect W. boundary 200 lks. N. of post,
 where set post cor. to sec. 11 T12N R5W,
 a Beech 30 in dia. bears N7E19 lks. dist,
 & a R. Oak 16 " " " S18E37 " "
 Land rich. Timber Buck Oak Sugar &c,
 Surveyed May 6th 1811.
 By Alex. Holmes, Dep. Sec.

East Boundary.

North On East side of sec. 36 T12N R5W

T. 12 N. R. 5 W. 2nd Mer. Ind.

- 40.00 Set gr. sec. post from which a
 a Beech 5 in dia. bears N4W3 lks. dist,
 & a Do. 14 " " " S28E40 " "
 43.00 To a Brook 15 lks. wide en. S.W.,
 80.00 Set a post cor. sec. 25 & 26 from which
 a Sugar 17 in dia. bears S63E25 lks. dist,
 & a Beech 15 " " " N69W29 " "
 Level Buck land -

- North On the E. side of sec. 25 T12N R5W
 35.50 To a Brook 10 lks. wide en. S.E.,
 40.00 Set gr. sec. post from which
 a W. Oak 9 in dia. bears S73E19 lks. dist,
 & a Sugar 10 " " " N74W35 " "
 80.00 Set a post cor. sec. 24 & 25 from which
 a Beech 12 in dia. bears N39E21 lks. dist,
 & a Do. 6 " " " S55W6 " "
 Land same as on last mile,

- North On the E. side of sec. 24 T12N R5W
 40.00 Set a gr. sec. post from which
 a B. Oak 6 in dia. bears S25E9 lks. dist,
 & a B. Oak 12 " " " N85W14 " "
 80.00 Set a post cor. sec. 13 & 24 from which
 a Beech 13 in dia. bears N37E28 lks. dist,
 & a Do. 5 " " " S25W34 " "
 Land same as on last mile,

- North On the E. side of sec. 13 T12N R5W
 10.00 To a Creek 200 lks. wide en. W,
 25.50 " the Do. " " " " E,
 39.50 " " Do. " " " " S.W.,
 40.00 Set gr. sec. post from which no bearings,
 corner being in the creek,
 80.00 Set post cor. sec. 12 & 13 from which
 a Hickory 15 in dia. bears, S23W35 lks. dist

T. 12 N. R. 5 W. 2nd New, Ind.

Co. L. & a Maple 3 in. dia. bears S 43 W 30 ft. dist,
Met bottom land & timbered Elm Ash Maple,

North On the East side of sec. 12 T 12 N. R 5 W.
22.00 Interest N.E. boundary line of purchase,
& set post on it, from which —
a Buck 6 in. dia. bears West 26 ft. dist &
a Do. 4 " " S 28 E 35 " "
Land level Buck timbered & —
May 6th 1811. — Surveyed by

40.00 Set g^r. sec. post. (18.00 from boundry),
a Buck 9 in. dia. bears S 38 W 18 ft. dist,
& a Sugar 12 " " " S 40 E 20 " "
80.00 Set post cor. Sec. 1 & 12 from which
a Buck 10 in. dia. bears N 13 E 15 ft. dist,
& a Sugar 12 " " " S 49 W 30 " "
Land rolling & the timber is Buck, sugar
Oak Hickory &c. good farming land,

North On East side of sec. 1 T 12 N. R. 5 W.
40.00 Set g^r. sec. post. from which
a Buck 30 in. dia. bears S 26 E 27 ft. dist,
& a Do. 12 " " " N 45 E 36 " "
80.00 Set a Temporary post. cor. T. 12 & 13 N. R. 4 & 5 W.
Land &c. is same as last mile,
Surveyed in 1819. By W^m. Harris, Dep. Sur,

North Boundary.

Met Random S. side sec. 36 T 13 N. R. 5 W.
25.00 To a Brook 18 in. dia. in the line
40.00 Set temporary, g^r. sec. post
80.00 Set temporary post cor. sec. 35 & 36.
Land hilly & broken but good soil,

T. 12 N. R. 5 W. 2nd New, Ind.

Met On Random S. side sec. 35 T 13 N. R. 5 W.
35.00 To a spring branch 3 ft. wide cor. S.
40.00 Set temporary, g^r. sec. post,
80.00 Set a " post cor. sec. 34 & 35.
Land same & rich good farming land

Met On Random S. side of sec. 34 T 13 N. R. 5 W.
40.00 Set temporary, g^r. sec. post
71.26 Interest of S. line 755 ft. S. of cor on
boundary line — Land river bottoms, overflow?

East Correct On S. side of sec. 34 T 13 N. R. 5 W.
31.26 Set g^r. sec. post from which
a Buck 30 in. dia. bears S 62 E 9 ft. dist,
& a Do. 24 " " " S 56 W 34 " "
71.26 Set post cor. sec. 34 & 35. from which
a Buck 9 in. dia. bears S 30 E 11 ft. dist &
a Do. 9 " " " N 46 W 33 " "

East Correct On S. side of sec. 35 T 13 N. R. 5 W.
40.00 Set g^r. sec. post from which
a Sugar 12 in. dia. bears S 26 W 15 ft. dist,
& a Buck 30 " " " N 80 E 23 " "
80.00 Set a post cor. sec. 35 & 36 from which
a Buck 9 in. dia. bears N 61 E 20 ft. dist &
a Do. 15 " " " S 88 W 44 " "

East On Correction S. side of sec. 36 T 13 N. R. 5 W.
40.00 Set g^r. sec. cor. on a Buck 5 in. dia —
a Buck 12 in. dia. bears S 57 E 24 ft. dist,
80.00 Set a post cor. T. 12 & 13 N. R. 4 & 5 W.
(300 ft. South of temporary post), from which
a Buck 6 in. dia. bears S 28 E 37 ft. dist &
a Sugar 12 " " " S 45 W 35 " "
Surveyed in 1819 By W^m. Harris J. D.

T. 12 N. R. 5 W. 2nd Mer. Ind.^a

East On S. side of sec. 31 T13 N. 5 W
 27.00 To a Brook 8 M. wide en. South
 40.00 Set gr. sec. post from which a
 a Beech 10 in. dia. bears N 65 E 16 M. dist,
 & a Do. 4 " " " S 21 W 6 " "
 63.50 To a Brook 10 M. wide en. South
 80.00 Set a post cor. sec. 31 & 32 from which
 a Beech 12 in. dia. bears N 86 E 29 M.,
 & a Do. 14 " " " S 59 W 35 " dist,
 Level land. & timber, Oak Beech Sugar &c,

East On South side of sec. 32 T13 N. 5 W
 2.50 To a Brook 10 M. wide en. South
 40.00 Set gr. sec. post from which a
 a Beech 4 in. dia. bears S 77 W 33 M. dist &
 & a Do. 17 " " " N 81 E 30 " "
 76.50 To a Brook 12 M. wide en. N.
 80.00 Set post cor. sec. 32 & 33 from which,
 an Ironwood 5 in. dia. bears N 64 W 12 M.,
 & a Gum 24 " " " S 57 E 26 " dist,
 Land &c is same as last mile,

East On South side of sec. 33 T13 N. 5 W
 40.00 Set gr. sec. post from which
 a Sugar 6 in. dia. bears S 76 W 6 M. dist,
 & a Do. 14 " " " N 31 E 14 " "
 80.00 Set post cor. sec. 33 & 34 from which
 a Maple 6 in. dia. bears N 53 E 10 M. dist,
 & a Do. 9 " " " S 80 W 32 " "
 Rich hilly land timber Beech Sugar &c,

East On South side of sec. 34 T13 N. 5 W
 4.50 To the River 200 M. wide
 Prograded no farther with this line
 owing to the waters being so high,
 May 6th 1811. Surveyed by Alex^r. Holmes. D. S.

T. 12 N. R. 5 W. 2nd Mer. Ind.^a

Co. L. West Boundary.

North On the E. side of sec. 36 T12 N. 6 W
 30.00 To a Brook 8 M. wide en. S. E.
 40.00 Set gr. sec. post from which
 a Beech 16 in. dia. bears S 29 E 31 M. dist,
 & a Do. 16 " " " N 47 W 41 " "
 75.25 To a W. Oak 48 " " in the line
 80.00 Set a post cor. sec. 25 & 36 from which
 a Beech 18 in. dia. bears N 36 E 12 M. dist,
 & a Do. 15 " " " S 38 W 45 " "
 Good land & the timber is Sugar Beech Oak &c,

North On E. side of sec. 25 T12 N. 6 W.
 40.00 Set gr. sec. post from which
 an Elm 10 in. dia. bears S 26 E 40 M. dist &
 an Elm 8 " " " N 3 E 38 " "
 53.00 To a Brook 4 M. wide en. N. E.
 56.00 " " Do. 4 " " " N. E.
 58.00 " " W. Oak 24 in. dia. in the line,
 76.00 " " Brook 4 M. wide en. E.
 80.00 Set a post cor. sec. 24 & 25 from which
 a W. Oak 18 in. dia. bears S 10 W 13 M. dist &
 & a Beech 12 " " " N 30 W 17 " "
 Land level & the timber same as last

North On the E. side of sec. 24 T12 N. 6 W
 40.00 Set gr. sec. post from which
 a Beech 14 in. dia. bears S 6 W 30 M. dist,
 & a Do. 16 " " " N 25 W 25 " "
 65.00 To a Brook 10 M. wide en. S. E.
 80.00 Set post cor. sec. 13 & 24 from which
 a Red Oak 24 in. dia. bears S 52 E 20 M. dist,
 & an Ash 10 " " " N 69 W 29 " "
 Land & timber same as last mile

T. 12 N. R. 5 W. 2nd New. Ind.^a

North On the E. side of sec. 13 T12 NR6W
 40.00 Set gr. sw. post from which
 a W. Oak 12 in. dia. bears S 8 E 44th dist.
 & a Do. 12 " " " N 15 E 25 " "
 68.00 To a W. Oak 30 " " in the line.
 80.00 Set a post cor. sec. 12 & 13 from which
 a Maple 6 in. dia. bears S 25 E 36th dist. &
 & a Beech 14 " " " N 55 W 29 " "
 Good land & the timber is Oak Beech &c.

North On East side of sec. 12 T12 NR6W
 15.00 To a Brook 10th wide en. S. E.
 40.00 Set gr. sec. post from which a
 Beech 30 in. dia. bears S 20 E 12th dist. &
 a Sugar 6 " " " N 21 E 15 " "
 66.00 To a Brook 10th wide en. S. E.
 80.00 Set post cor. sec. 12 & 13 in creek, no bearings
 marked a Sycamore 15 in. dia. & an Elm 10 in.
 dia. with a blaze & notch toward the corner,
 Land & timber same as on last mile.

North On the E. side of sec. 13 T12 NR6W
 This creek lying in the West
 40.00 Set gr. sw. post from which
 a W. Oak 30 in. dia. bears S 8 E 34th dist.
 & a Sugar 14 " " " N 30 W 13 " "
 46.00 To a W. Oak 15 " " in the line
 80.00 Set a post cor. Towns. 12 & 13 from which
 a Sugar 3 in. dia. bears S 26 W 5th dist. &
 a W. Oak 40 " " " N 20 E 26 " "
 Corner Towns. 12 & 13 N. Ranges 5 & 6 West,
 May 6th 1811. Surveyed by
 Alex. Holmes, Dep. Sur.

Subdivisions.

North Between sections 35 & 36

T. 12 N. R. 5 W. 2nd New. Ind.^a

22.72 To a Span. Oak - in the line,
 39.62 " a Branch 10th wide en. W.
 40.00 Set gr. sw. post from which
 a Beech 24 in. dia. bears S 88 W 10th dist.
 & a Sugar 6 " " " N 58 E 39 " "
 80.00 Set post cor. sec. 25 & 26, 35 & 36 from which
 a Sugar 18 in. dia. bears N 33 E 3th dist. &
 & a Dogwood 5 " " " S 18 W 10 " "
 This mile over broken land soil good
 & the timber is Beech Sugar Oak &c.
 And, Lth. Spruce Young Beech &c.

East On Ranges between sections 35 & 36
 40.00 Set temporary gr. sec. post,
 53.00 To a Branch 4th wide en. S. E.
 57.50 " a Do. 10 " " " South
 79.90 To the E. boundary, sec. 35th dist. S. of post,

West On true line between sec. 35 & 36
 39.95 Set gr. sw. post from which
 a Beech 12 in. dia. bears South 13th dist. &
 a Sugar 5 " " " N 40 W 17 " "
 This 1/2 mile over broken land & the
 timber Beech Sugar &c. And, Lth. Spruce,
 79.90 To the section corner. This half over
 broken land, timber Oak Beech Sugar
 And, Lth. Spruce & Beech &c.

North Between sections 25 & 26 T12 NR5W,
 1.00 To a Branch 3th wide en. W.
 40.00 Set gr. sw. post from which
 a Sugar 15 in. dia. bears S 33 W 20th dist.
 & a Beech 10 " " " N 32 E 10 " "
 54.75 To a Branch 4th wide en. W.
 80.00 Set a post cor. sec. 23, 24, 25 & 26 from wh.
 a Beech 12 in. dia. bears N 41 E 27th dist.
 and so on to page 99.

T. 12 N. R. 5 W. 2nd New, Ind.

East To a Sugar 14 in. dia. bears S 84 W 45 M.
This mile is over broken land & the timber
is Beech, Sugar & Hard, etc. Spruce &

East On Random between sections 24 & 25
40.00 Set a temp. g. sec. post
79.85 To the E. line of sec. 20 M. S. of post,

West Correct the line between sec. 24 & 25
39.93 Set g. sec. post from which,
a Cherry 12 in. dia. bears N 89 E 13 M. dist,
& a Beech 16 " " " N 35 W 27 " "
79.85 To the sections corner,
This line over broken land & the timber
is Poplar Beech & Sugar, N. G. Spruce &
April 24th 1844. -

North Between sections 23 & 24 T. 12 N. R. 5 W.
20.70 To a Beech 12 in. dia. in the line,
40.00 Set g. sec. post from which
a Sugar 15 in. dia. bears N 66 E 8 M. dist,
& a Beech 7 " " " N 15 E 22 " "
44.69 To a Do. 12 " " in the line,
78.69 " " Do. 12 " " " "
80.00 Set post cor. sec. 13, 14, 23 & 24 from which
a Beech 20 in. dia. bears S 30 W 28 M. dist,
& a Sugar 12 " " " N 34 E 46 " "
This mile broken land & timber is
Beech Sugar & Hard, etc. Spruce & Green birch

East On Random between sec. 13 & 24
40.00 Set temp. g. sec. post,
79.80 Intersect E. bound g. sec. at the post,

West Correct the line between sec. 13 & 24
26.60 To a Beech 24 in. dia. in the line,

T. 12 N. R. 5 W. 2nd New, Ind. 90

34.50 To a Beech 15 in. dia. in the line,
39.90 Set g. sec. post from which
a Gum 10 in. dia. bears N 44 W 41 M. dist,
& a Poplar 24 " " " S 66 W 40 " "
72.20 To a Hickory 30 " " in the line,
79.80 To the sections corner,
This mile is broken land & the timber
is Beech Oak & Hard, etc. same,

North Between sections 13 & 14 T. 12 N. R. 5 W.
40.00 Set g. sec. post from which
a W. Oak 4 in. dia. bears S 8 E 19 M. dist,
& a Dogwood 6 " " " N 8 W 9 " "
44.20 To a Beech 10 " " in the line,
69.00 " Moell creek 201 M. wide cor. NW,
80.00 Set post cor. sec. 11, 12, 13 & 14 from which
a Sugar 12 in. dia. bears N 10 W 50 M. dist,
& a Hornbeam 8 " " " N 19 E 60 " "
This mile broken land & the timber
is Beech Oak, Sugar & Hard, etc. Spruce &

East On Random between sec. 13 & 13,
40.00 Set temporary g. sec. post,
79.85 Intersect E. line of sec. at post,
Over broken land & the timber is
Beech Oak & Hard, etc. Spruce & Green birch

West Correct the line between sec. 13 & 13,
88. To a Hickory 8 in. dia. in the line,
39.92 Set g. sec. post from which
a Beech 24 in. dia. bears S 74 E 7 M. dist,
& a Do. 5 " " " S 50 W 12 " "
79.85 To the Sec. corner,

North Between sections 11 & 12 T. 12 N. R. 5 W.
36.35 To a Poplar 18 in. dia. in the line,

T. 12 N. R. 5 W. 2nd Mer. Ind.

- 40.00 Set gr. sec. post from which
a Beech 12 in. dia. bears N 89 W 7 1/2 M. dist,
& a Sugar 8 " " " N 51 E 11 " "
- 79.20 Intersect the Indian boundary, set post,
a Beech 12 in. dia. bears S 1 E 36 M. dist,
& a Do. 18 " " " N 59 W 15 " "
- This line broken land, Timber Beech
Oak &c. Mud, Gth, Ironwood & Spruce, &c.

North Between sections 34 & 35 - T. 12 N. R. 5 W.

- 40.00 Set gr. sec. post from which
a Beech 10 in. dia. bears N 49 W 16 M. dist,
& a Do. 10 " " " S 88 E 26 " "
- 80.00 Set post cor. sec. 20, 27, 34 & 35 from wh.,
a Beech 14 in. dia. bears N 82 W 22 M. dist,
& a Do. 12 " " " S 50 E 14 " "
- This mile is broken land & the timber
is Beech & Sugar, Mud, Gth, Spruce &c.

- East On Random between sec. 26 & 35
2.25 To a Branch 10 M. wide cr. North
19.00 " " Creek 30 " " " S. E.,
40.00 Set tump, gr. sec. post
79.90 To E. boundary, sec. 20 M. dist. of post,
Broken land & the timber is Beech
Ash &c. Mud, Gth, Spruce &c.

- West Correct the line between sec. 26 & 35
39.95 Set gr. sec. post from which
a Beech 20 in. dia. bears S 80 E 18 M. dist,
& an ash 15 " " " N 45 W 19 " "
- 79.90 To the sec. corner,

- North Between sections 26 & 27, T. 12 N. R. 5 W.,
40.00 Set gr. sec. post from which
a Beech 20 in. dia. bears S 58 E 16 M. dist,

Comp

T. 12 N. R. 5 W. 2nd Mer. Ind.

- C. L. & a Sugar 14 in. dia. bears N 81 W 17 M.,
40.05 To a Branch 15 M. wide cr. S. E.,
41.00 " same " " " " S. W.,
80.00 Set sec. cor. post from which
a Sugar 16 in. dia. bears S 12 W 14 M. dist,
& an ash 24 " " " S 59 E 9 " "
- Over broken land & the timber is Beech
Oak &c. Mud, Gth, Spruce &c.
corner sections 22, 23, 26 & 27 -

- East On Random between sections 23 & 26
40.00 Set a tump, gr. sec. post,
80.00 Intersect E. line of sec. 20 M. dist. of post
Over broken land & the timber is Beech
Oak &c. & the Mud, Gth, Spruce &c.

- West Correct the line between sections 23 & 26
40.00 Set gr. sec. post from which a
Beech 18 in. dia. bears N 58 E 27 M. dist,
& a Gum 12 " " " S 70 W 17 " "
- 41.00 To a Beech 20 in. dia. bears in the line,
80.00 To the sections corner,

- North Between sections 22 & 23 -
7.31 To a Poplar 20 in. dia. ~~bears~~ in the line
40.00 Set gr. sec. post from which
a Beech 20 in. dia. bears N 6 W 17 M. dist,
& a Do. 10 " " " N 6 E 29 " "
- 63.45 To a Hickory 12 " " in the line,
80.00 Set a post cor. sec. 14, 15, 22 & 23 from wh.,
a Sugar 16 in. dia. bears S 12 W 14 M. dist,
& an ash 24 " " " S 37 E 9 " "
- This mile is over broken land
& the timber is Oak, Poplar, Beech, Sugar
& the Mud, Gth, is Dogwood & Sapash &c.

T. 12 N. R. 5 W. 2nd Mer. Ind.

East On Random between sec. 14 & 23,
40.00 Set temporary g^r. sec. post
80.00 Intersect the E. line of sec. at post,

West Correct the line between sec. 14 & 23,
40.00 Set g^r. sec. post from which
a Sugar 20 in. dia. bears S 47 E 31 Mr. dia,
4 a Beech 24 " " " N 47 W 40 " "
55.70 To a Beech 16 " " in the line,
80.00 To the section corner.

This line is over broken land,
soil good, & the timber is Sugar Poplar
Ash, Beech &c. Mud. Lth. Spruce &c

North Between sections 14 & 15 April 27th 1844,

1.10 To a Poplar 20 in. dia. in the line,
32.25 " " Do, 36 " " " " "
40.00 Set g^r. sec. post from which
a Beech 14 in. dia. bears S 44 W 41 Mr.
4 a Hornbeam 6 " " " S 59 E 27 "

63.45 To a Hickory 12 " " in the line,
80.00 Set a post cor. sec. 10, 11, 14 & 15 from which,
a Beech 15 in. dia. bears S 46 E 33 Mr. dia
4 a Do, 8 " " " N 46 W 46 " "

This mile over broken land & the
timber is Oak, Poplar, Beech, Sugar &c
& the Mud. Lth. Dogwood & Lappas.

East On Random between sec. 11 & 14
40.00 Set a temporary g^r. sec. post
60.00 To a Willow 200 Mr. wide en. N.W.
80.00 Intersect E. line of sec. at post,

West Correct the line between sec. 11 & 14
40.00 Set g^r. sec. post from which
a Beech 16 in. dia. bears N 30 E 8 Mr. dia

T. 12 N. R. 5 W. 2nd Mer. Ind. 94

6.50 To a Sugar 6 in. dia. bears S 61 E 16 Mr. dia,
77.94 To a Poplar 36 " " in the line,
80.00 To the section corner,
This mile broken land & the timber
is Beech, Oak, Poplar &c

North Between sections 10 & 11 27th 1844

34.45 To a Beech 20 in. dia. in the line,
40.00 Set g^r. sec. post from which
an Elm 18 in. dia. bears S 86 W 18 Mr. dia,
4 a Walnut 5 " " " S 55 E 22 "
58.20 To a Hickory 15 " " in the line,
70.00 " " Willow 170 Mr. wide en. W,
80.00 Set a post cor. to sec. 2, 3, 10 & 11 -
a Beech 24 in. dia. bears N 35 W 20 Mr.
4 a Do, 12 " " " S 65 E 32 "

This mile over broken land & the
timber is Beech, Oak, Sugar &c
& the Mud. Lth. Dogwood &c

East On Random between sec. 2 & 11
17.55 To a Walnut 30 in. dia. in the line,
20.00 To a Beech 70 Mr. wide en. S.W.
35.90 To a Willow 18 in. dia. in the line,
40.00 Set g^r. sec. post from which a
Beech 12 in. dia. bears N 36 E 8 Mr. dia &
4 an Elm 14 " " " S 43 W 22 " "

40.00 To a Sugar 30 " " in the line,
59.50 " " Oak 70 Mr. wide en. S.W.
77.71 Intersect boundary, on E. side set post
a Sugar 12 in. dia. bears S 21 W 9 Mr. dia,
4 a Beech 10 " " " S 15 E 7 " "

Broken land & the timber is Oak
Sugar &c. & the Mud. Lth. Hornbeam Dogwood &c

North Between sections 2 & 3 27th 1844